

SULFASAL

DESCRIPTION

SULFASAL is a synergistic association of doxycycline, sulphamide and trimethoprim in premix or soluble powder.

TECHNICAL PROPERTIES

Sulphamethoxyipyridazine is a sulphamide with a good absorption and distribution, achieving high pulmonary concentrations.

Doxycycline is a semi-synthetic liposoluble tetracycline that is absorbed for 80-90% and that persists for a long time in the organism due to its strong fixation to plasma proteins. Its half life is 18 to 22 hours. Doxycycline, like other tetracyclines, may form a stable calcium complex in any bone-forming tissue, though in vitro it binds calcium less strongly than other tetracyclines so it is appropriate to administer it to young animals. It has a wide antibacterial action spectrum: *Salmonella*, *E.coli*, *Staphylococcus*, *Streptococcus*, *Listeria*, *Chlamydia*, *Corynebacterium*, *Clostridium*, *Pasteurella*, *Actinobacillus*, *Mycoplasmas* and *Haemophilus*. It is also active against some protozoa like *Giardia*.

INDICATIONS AND SPECIES

Intended for poultry, pigs, sheep, goats and cattle in the treatment of C.R.D., pasteurelosis, pneumoenteritis, colibacillosis, atrophic rhinitis and pneumonia.

COMPOSITION

Doxycycline hyclate	30 mg
Sulphamethoxyipyridazine	100 mg
Trimethoprim	20 mg
Excipient to	1 mg

DOSAGE

It is administered orally dissolved in drinking water, milk or feed at the following doses:

- soluble powder: 1-2 g per litre
- premix powder: 2- 3 kg per ton

In preventive programs, use 250 to 500 gram per ton.

INCOMPATIBILITIES

Do not administer together with penicillins as this can cause antagonistic effects. It can produce diarrhoea and renal lesions that must be treated with alkalinizers of urine.

C/Luxemburg, 25 – Polígono Industrial
Apdo 15 . 43120 CONSTANTÍ (Tarragona)
Tel. 977 29 63 04 Fax 977 29 63 05
www.biovvet-alquermes.com

Premio a la Internacionalización
Cámara de Comercio 2005



INTERNATIONAL ADDRESS
P.O Box 15
43120 CONSTANTÍ (Tarragona)
SPAIN
Tel. 34 – 977 29 63 04
Fax 34 – 977 29 63 05

CONTRAINDICATIONS

Do not administer to animals with allergy, hepatic or renal problems. The product is effective against protozoa.

PACKAGING

1 kg and 25 kg.

WITHDRAWAL PERIOD

Meat: 28 days

Milk: 2 days. Do not use in small ruminants whose milk is intended for human consumption.

C/Luxemburg, 25 – Polígono
Industrial
Apdo 15 . 43120 CONSTANTÍ
(Tarragona)
Tel. 977 29 63 04 Fax 977 29 63 05
www.biovvet-alquermes.com

Premio a la Internacionalización
Cámara de Comercio 2005



INTERNATIONAL ADDRESS
P.O Box 15
43120 CONSTANTÍ (Tarragona)
SPAIN
Tel. 34 – 977 29 63 04
Fax 34 – 977 29 63 05